

SUPPLEMENT TO

The Gazette



of India

सत्यमेव जयते

No. 4] NEW DELHI, SATURDAY, JANUARY 25, 1958/MAGHA 5, 1879

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 28th December, 1957

CHOLERA						CHOLERA					
SMALLPOX		PLAGUE		SMALLPOX		PLAGUE		SMALLPOX		PLAGUE	
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Andhra Pradesh						Bihar					
						"N.R."					
Srikakulam	52	6
Visakhapatnam	46	14
East Godavari	24	11
West Godavari	7	4	1
Krishna	31	20	4	4
Guntur	97	52	39	6
Nellore	7	4	6	1
Kurnool	27	12	22	5
Cuddapah	1	1	7	1
Anantpur	7	2
Chittoor	1	1	13
Warrangal	15	6	4
Nizamabad	1	3
Medak	2	5
Nalgonda	22	13
Hyderabad	1	1
TOTAL	210	111	227	61
Total for w/e 21-12-57	269	122	285	63
Total for w/e 14-12-57	333	174	240	34
Assam						Bombay					
Goalpara	5	26	4
Kamrup	2	9	3
Nowgong	2	1	3
Sibsagar	14	1	14	2
TOTAL	23	2	15	9
Total for w/e 21-12-57	15	4	76	71
Total for w/e 14-12-57	5	2	31	6	13	1	8	4
						Greater Bombay					
						Amreli					
						Banaskantha					
						Baroda					
						Kaira					
						Mehsana					
						M. Saurashtra					
						Ahemdagar					
						East Khandesh					
						Kolhapur					
						Nasik					
						Poona					
						North Satara					
						Sholapur					
						West Khandesh					
						Amravati					
						Buldhana					
						Chanda					
						Nagpur					
						Yeotmal					
						Aurangabad					
						Nanded					
						Osmanabad					
						TOTAL					
						Total for w/e 21-12-57					
						Total for w/e 14-12-57					

Explanation of Symbols used : C. = Cases; D. = Deaths; .. = Nil; "N.R." = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 28th December, 1957—*contd.*

CHOLERA							CHOLERA						
SMALLPOX							SMALLPOX						
PLAGUE							PLAGUE						
C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	
Delhi							Manipur						
							TOTAL	10	1
Delhi City	2	Total for w/e 21-12-57	11	1
Delhi Notified Area Committee	1	Total for w/e 14-12-57	10	1
TOTAL	2	1	Mysore						
Total for w/e 21-12-57	2	"N.R."						
Total for w/e 14-12-57	Orissa						
Himachal Pradesh							Cuttack	11	1
TOTAL	Balasore	..	17	8	42	6	..
Total for w/e 21-12-57	Puri	72	11
Total for w/e 14-12-57	Sambalpur
Kerala							Ganjam	..	6	1	291	73	..
"N.R."							Dhenkanal	8
Madhya Pradesh							Keonjhar	7	2
"N.R."							Bandh	10	2
Madras							Mayurbhanj	24	7
Madras City	..	1	..	65	20	..	Bolangir Patna	7
Chingleput	..	9	2	22	4	..	Sundergarh	1
South Arcot	..	38	27	38	13	..	Kalahandi	10	4
Tiruchirappalli	..	63	32	1	TOTAL	..	23	9	490	106	..
Tanjore	..	17	148	2	1	..	Total for w/e 21-12-57	2	..	503	91
Madurai	..	71	18	4	Total for w/e 14-12-57	570	126
Ramanathapuram	12	5	..	Pondicherry						
Tirunelveli	..	20	17	TOTAL	..	16	11
North Arcot	..	24	12	3	1	..	Total for w/e 21-12-57	47	28	10	4
Salem	..	80	40	35	10	..	Total for w/e 14-12-57	14	6	18	5
Coimbatore	..	103	42	32	7	..	Punjab						
Ranya Kumari	11	3	..	"N.R."						
TOTAL	..	626	338	225	64	..	Rajasthan						
Total for w/e 21-12-57	821	415	187	63	2	1	"N.R."						
Total for w/e 14-12-57	1,051	572	237	40	Tripura						
							TOTAL	1
							Total for w/e 21-12-57	10
							Total for w/e 14-12-57	6

Explanation of Symbols used: C.—Cases; D.—Deaths; ..—Nil. "N.R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 28th December, 1957—*contd.*

		CHOLERA		SMALLPOX		PLAGUE				CHOLERA		SMALLPOX		PLA	
		C.	D.	C.	D.	C.	D.			C.	D.	C.	D.	C.	D.
Mysore								Rajasthan—contd.							
<i>for w/e 16-11-1957</i>								<i>for w/e 7-12-1957</i>							
Bangalore	9	6	S. Madhopur	2
Chitaldrug	3	1	Churu	2	2
Kolar	11	9	2	1	Jaipur	7	2
Manuys	12	Tonk	3
Bidar		7	4	Hagaur	14	6
Gulberga		26	10	Jalore	6
Raichur	5	2	Barmer	42	12
Belgaum		22	6	Udaipur	7
North Kanara		6	3	Bhilswara	2	2
TOTAL		61	23	40	18	2	1	Dungarpur	8	4
Punjab								Bikaner	4	2
<i>for w/e 30-11-1957</i>								Ganganagar	25	2
Rohtak	1	TOTAL	128	32
Ferozepur	1	Madhya Pradesh							
Gurdaspur	1	<i>for w/e 7-9-57 (Revised)</i>							
Sangrur	6	4	Tabelpur		12
Mohinderghar	2	Umaria		21	6	1
TOTAL	11	4	Raipur		4	2	9	6
<i>for w/e 21-12-1957</i>								Bilaspur		39	16	14	3
Hissar	2	TOTAL		76	24	24	9
Rohtak	2	<i>w/e 14-9-57</i>							
Ambala	1	1	Umaria		93	34
Jullundur	1	Bilaspur		23	13
Ferozepur	2	1	Raigarh		94	56	3
Amritsar	1	Himachal (Khangonr)		2
TOTAL	5	6	Raipur		3	..	2
Kerala								Sidhi		35	7
<i>for w/e 30-11-1957</i>								Balaghat	1
Trivandrum	3	1	TOTAL		248	110	8
Quilon	17	1	<i>w/e 21-9-57</i>							
Malabar	18	12	Umaria		3	1
TOTAL	38	14	Raigarh	1	8	5
H. Pradesh								Raipur		3	..	20
<i>for w/e 26-10-57</i>								Bilaspur		28	8
West Bengal								Sidhi		11	1
<i>for w/e 21-12-57</i>								Balaghat		13	5
Burdwan	31	5	TOTAL		58	16	28	5
Birbhum	4	1	<i>w/e 28-9-57</i>							
Bankura	2	1	Raigarh	2
Midnapur		32	12	20	8	Betul		6	4
Hooghly		2	1	20	9	Hoshangabad	4
Howrah		2	1	73	48	Bilaspur		6	1
24-Parganas		38	25	104	32	Raipur		2	..	10
Calcutta		1	..	5	5	Balaghat		7	8
Nadia	8	3	TOTAL		21	15	14
Murshidabad	120	73	<i>w/e 5-10-57</i>							
Darjeeling	3	2	Balaghat		6	2
Malda	11	1	Umaria	1
Cooch-Bihar	2	1	Indore	2
Purulia		4	1	11	Bilaspur	4	1
TOTAL		79	40	414	189	TOTAL		6	2	7	1
Rajasthan								<i>w/e 12-10-57</i>							
<i>for w/e 30-11-57</i>								Balaghat		29	19
S. Madhopur	55	9	Bilaspur	6
Sikar	5	4	Dhar	10
Bharatpur	3	Raipur	11
Tonk	8	3	Himar
Barmer	30	5	Umaria	1
Chittor	4	Umeria	9
Bikaner	2	Indore	1
Ganganagar	10	6	TOTAL		29	19	37	1
TOTAL	117	27								

Explanation of symbols used :—C. = Cases ; D. = Deaths ; .. = Nil.

Reported attacks and deaths from cholera, smallpox plague and typhus in districts in India during the week ending the 28th December, 1957--concl'd.

CHOLERA								SMALLPOX								PLAGUE															
C.				D.				C.				D.				C.				D.											
Madhya Pradesh—contd																For w/e 9-11-57															
for w/e 19-10-57																Hoshangabad . . . 11 7 8 1															
Hoshangabad 1 1																Damoh 8 1															
Bilaspur 24 1																Balaghat 4															
Dhar 5																Bilaspur 1 .. 1 1															
Indore 5 1																Sehore 1															
TOTAL 35 3																Umans 3															
For w/e 26-10-57																Sagar 3 1															
Bilaspur 19 3																Narsinghpur 7 3															
Balaghat 4																Raipur 31 4															
Hoshangabad 1																Jabalpur 3															
Indore 5																TOTAL . . 19 8 62 10															
TOTAL 29 3																Jammu & Kashmir															
For w/e 2-11-57																For w/e 14-10-57															
Jalalpur 1																TOTAL															
Hoshangabad 16																POLIOMYELITIS															
Indore 4 4 1																(Information based on patients treated in hospitals in important towns)															
Gerd 5																Place Period F/e Cases Deaths															
Bilaspur 5 2																Punjab 30-11-57 15 .. (Paretic)															
Damoh 24 1																do 15-12-57 5 .. do															
Sehore 2																Madras 31-10-57 19 .. (Paretic)															
Narsinghpur 7																(1 Non paretic)															
Raipur 96 11																do 15-11-57 17 .. (Paretic)															
TOTAL 7 .. 153 15																do 30-11-57 14 .. do															
																do 15-12-57 3 .. do															

Explanation of Symbols used :— C=Cases; D=Deaths; ..=Nil.

NEW DELHI-2 (INDIA) ;

The 20th January, 1958

H. R. SHARMA,

for Registrar General, India.

Prosper with the NATION

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.14 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.
15-YEAR ANNUITY CERTIFICATES	
Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.	Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 28th December 1957—*contd.*

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from :—							Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
Andhra Pradesh } Assam— } Bombay }				“N.R.”									
Delhi													
Delhi City . . .	1,172	628	27.9	47	3	57	..	207	9.2	68
New Delhi . . .	395	508	66.9	1	5	11	1	206	27.1	49
N.A.C. Civil Station Delhi . . .	125	108	44.9	..	1	..	1	..	2	—	20	8.3	9
Delhi Cant. . .	53	83	81.4
Delhi-Shahdara . . .	55	53	50.1	2	..	1	..	8	7.6	1
TOTAL . . .	1,800	1,380	39.9	..	1	..	51	8	71	1	441	12.7	127
Kerala													
“N.R.”													
Madhya Pradesh													
“N.R.”													
Madras													
Ambur . . .	46	34	38.4	3	3	..	15	17.0	1
Arrupukottai . . .	58	35	31.4	5	5	8	..	27	24.2	7
Bodinayakumurt†													
Chidambaram . . .	41	27	34.2	..	1	..	1	1	1	..	23	29.2	3
Coimbatore . . .	242	235	50.5	1	17	21	1	109	23.4	27
Cuddalore . . .	75	94	65.2	1	2	3	2	27	18.7	7
Dindigul . . .	93	63	35.2	5	2	15	8.4	1
Erode . . .	70	59	43.8	2	3	5	1	23	17.1	2
Gobichetipalayam . . .	40	26	33.8	2	2	2	11	14.3	1
Gudiyattam . . .	54	49	47.2	5	3	..	17	16.4	4
Kancheepuram . . .	92	57	32.2	..	1	..	1	4	15	2	48	27.1	9
Karaikudi . . .	45	32	37.0	..	1	..	4	1	21	24.3	1
Karur . . .	52	41	41.0	1	1	3	..	12	12.0	1
Kumbakonam . . .	108	93	44.8	7	1	1	5	3	43	20.7	8
Madras City . . .	1,770	1,263	37.1	1	20	..	100	103	190	1	715	21.0	196
Madurai . . .	443	188	22.1	21	13	16	..	141	16.6	42
Mayuram . . .	51	52	53.0	2	21	21.4	1
Mattapalayam †													
Nagapattinam . . .	61	47	40.1	3	1	..	18	15.3	3
Nagercoil . . .	97	39	21.0	..	2	..	1	2	1	..	16	8.6	3
Ootacamund . . .	49	26	27.6	2	..	8	8.5	2
Palni . . .	41	27	34.2	2	2	1	10	12.7	1
Palayamkottai . . .	46	56	63.3	1	1	1	2	25	28.3	12
Periahkulam . . .	34	33	50.5	5	3	..	15	22.9	1
Pollachi . . .	53	40	39.2	..	1	..	6	8	5	..	40	39.2	92
Pudukottai . . .	51	42	42.8	1	1	13	13.3	3
Rajapalayam . . .	71	57	41.7	..	1	..	1	4	5	..	23	16.8	3
Salem . . .	250	151	31.4	..	2	..	5	4	11	..	59	12.3	5
Srirangam†													
Srivikipputtur . . .	44	30	35.5	1	1	5	..	18	21.3	3
Tanjore . . .	122	92	39.2	1	5	2	..	30	12.8	6
Tiruchirappalli . . .	258	165	33.3	3	3	6	17	1	100	20.2	19
Tirunelveli . . .	82	52	33.0	8	11	1	41	26.0	1

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information ; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 28th December, 1957.—*contd.*

Deaths from :—

Town	Mid. year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Madras—<i>contd.</i>													
Tiruppur . . .	65	74	59.2	3	5	..	16	12.8 [†]	3
Tiruvannamala . . .	46	44	49.7	4	4	..	31	35.0	9
Tuticorin . . .	114	106	48.4	1	16	17	..	68	31.0	19
Vaniyambadi . . .	44	32	37.8	1	3	5	..	19	22.4	3
Vellore . . .	129	105	42.3	4	1	8	11	..	73	29.4	17
Villapuram . . .	40	18	23.4	1	4	..	12	15.6	1
Virudhunagar . . .	54	55	53.0	1	5	3	..	16	15.4	1
TOTAL	5,031	3,639	37.6	19	30	..	164	253	390	17	1,919	19.8	434
Mysore													
Bangalore . . .	1,023	620	31.5	..	6	..	6	62	124	..	340	17.2	..
Mysore . . .	306	76	12.9	11	8	8	..	70	11.8	..
Kolar Gold Fields . . .	176	105	31.0	..	3	..	5	3	1	..	38	11.2	..
Bellary . . .	80	33	21.4	..	1	..	4	1	4	..	24	15.6	..
Davangere . . .	72	49	35.3	3	1	18	13.0	..
Shimoga . . .	59	28	24.7	10	1	12	10.6	..
Bhadravati†													
Hospet†													
Tumkur . . .	45	11	12.7	12	2	14	16.1	..
Kolar†													
Chitaldrug													
Hassan† . . .	32	12	19.5	4	6.5	..
Bidar . . .	38	27	36.9	1	..	1	..	2	2.7	..
Gulberga . . .	93	24	13.4	1	8	..	10	5.6	..
Raichur . . .	67	1	0.8	..	2	..	3	..	2	..	7	5.4	..
Belgaum . . .	113	121	9.6	5	2	1	..	20	9.2	..
Bijapur†													
Dharwar . . .	79	19	12.5	1	..	2	..	17	11.2	..
Mangalore . . .	141	154	56.7	2	2	2	..	44	16.2	..
Bagalkot . . .	37	38	53.4	2	1	6	8.4	..
Hubli†													
Gadag (Bettigere) . . .	73	40	28.5	9	..	5	2	30	21.4	..
TOTAL	2,434	1,258	26.9	..	12	..	74	83	159	3	656	14.0	..
Orissa													
Behrampur . . .	75	120	83.2	..	39	..	5	6	8	1	109	75.6	15
Cuttack . . .	121	134	57.6	..	1	..	5	8	10	1	52	22.3	5
Puri . . .	55	48	45.4	..	8	..	13	4	1	2	41	38.8	7
TOTAL	251	302	62.6	..	48	..	23	18	19	4	202	41.8	27
Pondicherry . . .	69												
Punjab													
Ambala . . .	67	54	42.0	5	..	12	9.3	2
Amritsar . . .	351	195	29.0	9	26	..	97	14.4	28
Batala . . .	64	27	22.0	1	..	3	..	6	4.9	3
Bhiwani . . .	58	4	..	6	..	21	18.8	8
Ferozepur . . .	46	25	28.3	1	6	6.8	..
Hissar . . .	40	32	41.6	6	..	7	..	15	19.5	6

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 28th December, 1957—contd.

Town		Mid-year Popn-Est. (000)	Deaths from :—										Total	D.R.*	I.D.
			B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Punjab—contd.															
Hoshiarpur . . .	52	26	26.0	4	4.0	2		
Jullundur . . .	207	100	25.1	7	3	16	..	33	8.3	10		
Karnal . . .	74	37	26.0	1	..	2	1.4	..		
Ludhiana . . .	182	120	34.3	5	1	2	..	25	7.1	2		
Moga . . .	42	28	34.7	1	..	3	..	10	12.4	..		
Panipat†															
Pathankot . . .	36	18	26.0	2	..	2	2.9	1		
Rewari . . .	37	18	25.3	4	1	1	..	8	11.2	3		
Rohtak . . .	110	37	17.5	..	1	..	4	..	2	..	10	4.7	1		
Simla . . .	51	13	13.3	1	1.0	..		
Sonepat . . .	35	32	47.5	2	7	10.4	..		
Bhatinda . . .	40	23	29.9	1	..	4	..	5	6.5	1		
Malerkotla . . .	35	15	22.3	2	..	4	..	6	8.9	..		
Patiala . . .	115	30	13.6	10	..	1	1	21	9.5	7		
TOTAL . . .	1,642	830	26.3	..	1	..	48	14	83	1	291	9.2	74		
Rajasthan															
Ajmer . . .	230	77	17.4	5	..	14	..	34	7.7	2		
Alwar†															
Beawar . . .	61	14	11.9	5	..	3	..	14	11.9	2		
Bharatpur†															
Bikaner†															
Churu . . .	49	2	2.1		
Ganganagar . . .	50	3	3.1	..	2	..	9	..	1	..	13	13.5	2		
Jaipur†															
Jodhpur . . .	207	31	7.8	9	3	5	1	34	8.5	5		
Kotah†															
Sikar . . .	52	22	22.0	3	..	3	..	10	10.0	1		
Tonk†															
Udaipur†															
TOTAL . . .	649	149	11.9	..	2	..	31	3	26	1	105	8.4	12		
Uttar Pradesh															
Agra . . .	385	600	81.0	1	7	72	..	145	19.6	36		
Allahabad . . .	358	150	21.8	2	29	1	65	9.4	17		
Amroha . . .	61	48	41.0	5	1	3	..	21	17.9	3		
Bahraich . . .	48	15	16.3	1	..	2	..	3	3.3	..		
Banaras . . .	394	284	37.5	..	1	..	20	3	12	..	147	19.4	26		
Banda†															
Bareilly . . .	206	82	20.7	5	3	8	..	21	5.3	5		
Bastī†															
Ballia†															
Bijnor†															
Budaun . . .	54	45	43.3	2	..	7	..	9	8.7	2		
Bulandshahr†															
Chandauli . . .	42	32	39.6	..	1	..	2	1	4	..	14	17.3	3		
Dehra Dun . . .	153	125	42.5	6	..	21	7.1	5		
Etawah†															
Faizabad Ayodhya†															
Farukhabad-Fatehgarh . . .	84	43	26.6	1	1	7	1	17	10.5	2		
Ferozabad . . .	82	26	16.5	2	5	3.2	1		
Ghaziipur . . .	37	32	45.0	7	..	3	..	10	14.1	1		
Ghaziabad . . .	48	35	38.0	3	..	1	..	9	9.8	2		
Gonda . . .	35	7	10.4		
Gorakhpur . . .	143	44	16.0	4	1	1	..	9	3.3	1		
Hapur . . .	50	33	34.3	6	..	2	..	12	12.5	5		
Hardwar . . .	67	35	27.2	3	..	4	..	15	11.6	5		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 28th December, 1957—*contd.*

Town	Mid.-year Popn. Est. (000)	Deaths from :—											Total	D.R.*	I.D.	
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.						
Uttar Pradesh—contd.																
Hathras	64	49	39·8	17	18	14·6	6			
Jaunpur	58	25	22·4	4	...	2	...	10	9·0	1			
Jhansi	119	71	31·0	9	1	6	...	30	13·1	9			
Kanpur	757	308	21·2	...	3	...	121	20	38	8	300	20·6	63			
Kasganj†																
Khurja	41	23	29·2	5	...	3	...	11	14·0	2			
Koil-Aligarh	154	64	21·6	1	1	9	...	21	7·1	6			
Lucknow†																
Mathura	114	90	41·1	...	1	...	3	...	7	...	18	8·2	2			
Mau Nath Bhanjan†																
Meerut	191	128	34·8	9	1	12	...	30	8·2	5			
Mirzapur Vindhayachal	99	61	32·0	3	2	3	...	17	8·9	5			
Moradabad	167	180	56·0	3	4	18	1	56	17·4	20			
Muzaffarnagar	75	41	28·4	14	1	7	...	27	18·7	3			
Pilibhit†																
Rampur†																
Saharanpur	167	118	36·7	30	1	10	1	50	15·6	14			
Sambhal†																
Sitapur	51	16	16·3	8	8	8·2	3			
Shahjahanpur	112	65	30·2	12	...	6	...	25	11·6	5			
TOTAL	4,416	2,875	33·9	...	6	...	301	50	282	12	1,144	13·5	258			

West Bengal

"N.R."

ARREAR INFORMATION

Orissa		<i>w/e 23-11-1957</i>											(Supplementary)		
Puri	55	45	42·5	..	2	..	7	6	2	1	33	31·2	3		
Madhya Pradesh		<i>w/e 23-11-1957</i>													
Indore	381	220	30·0	19	3	7	..	77	10·5	27		
Greater Gwalior	281	71	13·1	3	2	12	2·2	1		
Ujjain	162	61	19·5	15	39	12·5	11		
Bhopal	120	107	46·3	10	2	4	..	21	9·1	..		
Mandsaur	42	40	49·5		
Bilaspur	40	27	35·1	13	16·9	3		
Itarsi	32	16	26·0	1	1	1·6	..		
TOTAL	1,058	542	26·6	48	7	11	..	163	8·0	42		
		<i>w/e 2-11-1957</i>													
Bhopal	120	119	51·5	7	1	2	..	20	8·6	..		
		<i>w/e 9-11-1957</i>													
Bhopal	120	119	51·5	2	2	2	..	24	10·4	..		
Do.	120	90	39·0	1	1	..	8	3·4	..		
Kerala		<i>w/e 14-12-1957</i>													
Kottayam	52	51	52·0	2	15	15·0	..		
Mysore		<i>w/e 14-12-1957</i>													
Hospet	47	18	19·9	2	10	11·1	..		
Rajasthan		<i>w/e 23-11-1957</i>											(Supplementary)		
Alwar]	61	40	34·1	2	3	..	17	14·5	3		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths), ..=No information ; "N.R."=Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 28th December, 1957.—*contd.*

Town		Mid year Popn.Est. (000)	Deaths from :—											Total	D.R.*	I.D.
			B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Rajasthan—																
w/e 30-11-1957																
Alwar	.	61	46	39.2	2	..	8	6.8	2		
w/e 7-12-1957																
Alwar	.	61	18	15.3	1	..	1	..	5	4.2	..		
Jodhpur	.	207	45	11.3	..	2	..	16	3	6	2	47	11.8	5		
Bharatpur	.	39	8	10.6	2	1	2	..	6	8.0	..		
Ganganagar	.	50	2	2.1	..	1	..	7	..	1	..	10	10.4	2		
w/e 14-12-1957																
Jaipur	.	367	152	21.5	..	2	..	39	12	10	2	119	16.9	36		
Ganganagar	.	50	16	16.6	..	2	..	5	8	8.3	1		
Tonk	.	46	16	18.1	2	..	5	..	7	7.9	..		
Bharatpur	.	39	8	10.6	3	3	4.0	..		
Jodhpur	.	207	37	9.3	9	3	6	2	38	9.5	6		
Bikaner	.	118	50	22.0	2	1	7	..	18	7.9	2		
Churu	.	49	6	6.4		
Alwar	.	61	50	42.6	1	3	2.5	..		
w/e 19-10-1957 (Supplementary)																
Udaipur	.	110	9	4.3	1	9	4.3	2		
w/e 26-10-1957																
Do.	.	110	1	0.5	1	1	0.5	..		
w/e 23-11-1957																
Do.	.	110	6	2.8	2	13	6.1	1		
w/e 30-11-1957																
Do.	.	110	7	3.3	1	..	1	..	7	3.3	..		
w/e 7-12-1957																
Do.	.	110	7	3.3	3	..	4	..	39	18.4	2		
w/e 21-12-1957																
Sikar	.	52	19	19.0	3	..	3	..	10	10.0	1		
Jaipur	.	367	147	20.8	36	8	5	3	100	14.2	24		
Ganganagar	.	50	1	1.0	7	1	2	..	10	10.4	3		
Jodhpur	.	207	24	6.0	13	4	6	..	42	10.5	30		
Bombay																
for w/e 14-12-1957																
Ahmedabad	.	915	838	47.6	12	11	90	..	282	16.0	75		
Ahmednagar	.	90	73	42.2	1	3	6	..	36	20.8	8		
Amalner	.	51	27	27.5	3	..	3	..	14	14.3	1		
Baroda	.	250	194	40.4	22	1	6	1	72	15.0	24		
Barshi	.	47	31	34.3	8	..	1	..	24	26.5	..		
Bhusawal	.	65	32	25.6	7	..	1	..	16	12.8	4		
Broach†																
Cambay	.	42	30	37.1	1	3	..	29	35.9	8		
Chalisgaon	.	36	24	34.7	5	..	1	..	8	11.6	..		
Dhulia	.	92	40	22.6	2	..	6	..	13	7.3	2		
Godhra	.	41	40	50.7	6	9	11.4	..		
Greater Bombay	.	3,590	2,246	32.5	..	3	..	1	31	112	4	663	9.6	149		
Jalgaon	.	82	31	19.7	2	1	2	1	13	8.2	3		
Kalyan	.	76	55	37.6	1	..	1	..	6	4.1	4		
Kolhapur	.	164	102	32.3	1	2	4	..	35	11.1	3		
Malegaon	.	65	44	35.2	20	1	5	..	30	24.0	5		
Miraj	.	45	41	47.4	4	2	..	17	19.6	5		
Nadiad	.	73	71	50.6	3	1	1	..	17	121.1	5		
Nandurbar	.	36	19	27.4	1	1	8	11.6	3		
Nasik	.	124	105	44.0	3	..	3	..	35	14.7	6		
Narsari	.	51	23	23.5	4	13	13.3	3		

In cases of towns where there has been an abnormal movement of population, its likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Birth; B.R.—Birth Rate; C.—Cholera S. Smallpox P.—Plague; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); R=Nil.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 28th December, 1957.—*contd.*

Deaths from :—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Bombay—contd.													
Pandharpur	45	45	52.0	5	4	6	..	22	25.4	10
Patan	48	50	54.2	4	..	8	..	31	33.6	4
Poona	634	340	27.9	1	7	20	1	120	9.8	30
Sangli	60	34	29.5	1	2	17	14.7	6
Satara	41	55	69.8	3	5	3	..	20	25.4	4
Sholapur	308	247	41.7	..	1	..	13	5	21	..	96	16.2	25
Surat	257	218	44.1	18	..	17	1	103	20.8	25
Thana	64	26	21.1	1	1	..	10	8.1	1
Bhavnagar	158	80	26.3	13	2	10	..	52	17.1	9
Dhoraji	48	25	27.1	2	8	8.7	3
Gondal	41	39	49.5	..	1	..	1	..	2	..	5	6.3	..
Jamnagar	126	22	9.1	2	1	2	1	19	7.8	3
Junagarh	66	36	28.4	..	1	..	7	..	4	1	25	19.7	6
Morir	43	24	29.0
Porbander	66	17	13.4	12	2	1	..	22	17.3	5
Rajkot †													
Veraval	47	6	6.6	..	1	..	2	9	10.0	1
Surendranagar	44	20	23.6	7	13	15.4	..
Nagpur	546	68	6.5	6	2	1	..	41	3.9	11
Achalpur	39	26	34.7	2	1	2	..	10	13.3	2
Akola	108	94	45.3	5	3	5	..	30	14.4	5
Amravati	104	108	54.0	4	2	30	15.0	..
Chanda	44	34	40.2	5	..	3	..	21	24.8	5
Gondia	47	23	25.4	4	..	1	1	12	13.3	4
Hinganghat	36	20	28.9	3	6	8.7	2
Khangaoon	44	25	29.5	6	9	10.6	1
Wardha	47	20	22.1	1	..	1	..	3	3.3	1
Yeatmal	42	27	33.4	11	..	2	..	22	27.2	..
Kamptee	37	26	36.5	2	..	1	..	7	9.8	2
Aurangabad	76	12	8.2	2	..	5	3.4	..
Lathur	42	11	13.6	1	5	6.2	..
Nanded†, Parbhani	41	4	5.1	..	1	2	..	3	3.8	..
Patna	72	3	2.2	1	..	2	1.4	..
TOTAL	9,356	5,851	32.5	4	8	..	248	93	365	12	2,118	11.8	473

Bihar

w/e 14-12-57

Arrah	72	10	7.4	1	6	4.3	..
Bettiah	39	3	4.0	2	2	2.7	..
Bhagalpur †													
Bihar	69	7	5.3	2	3	2.3	..
Chapra†													
Darbhanga	95	40	21.9	7	3.8	..
Dhanbad	42	13	16.1	4	5.0	..
Dinapur	45	6	6.9	1	3	3.5	..
Gaya	153	37	12.6	18	6	16	..	55	18.7	..
Hazaribagh	40	13	16.9	2	2.6	..
Jamalpur	48	5	5.4	1	1.1	..
Jamshedpur	253	123	25.3	1	14	2.9	3
Katihar	53	5	5	4.9	..
Monghyr†													
Muzaffarpur	87	33	19.7	3	..	2	..	15	9.0	..
Patna	341	138	21.0	..	1	..	1	28	4.3	..
Ranchi	134	23	8.9	4	11	4.3	1
TOTAL	1,471	451	15.9	..	6	..	33	6	18	..	156	5.5	4

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B. R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D. D.—Dysentery and Diarrhoea; R. D.—Respiratory Diseases; M. D.—Maternal Deaths; D. R.—Death Rate; I. D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 28th December, 1957—concl'd.

Deaths from 1—															
Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.		
Andhra Pradesh															
w/e 21-12-1957															
Adoni	66	45	35.4	2	5	..	14	11.0	1		
Anantpur	39	16	21.3	1	1	3	..	16	21.3	4		
Anakapalli	47	25	27.7	2	5	3	..	18	19.9	2		
Bhimavaram	37	24	33.7	7	9.8	1		
Chirala †															
Chittoor	46	79	89.3	1	5	1	..	25	28.3	9		
Cuddapah†															
Ellore	102	71	36.2	1	20	10.2	3		
Gudivada	37	28	39.4	4	9	12.6	1		
Guntur	153	122	41.5	2	11	6	1	68	23.1	11		
Guntakal	39	24	32.0	2	1	3	..	12	16.0	4		
Kakinada	117	45	20.0	3	2	24	10.7	2		
Kurnool	70	51	37.9	1	2	3	1	32	23.8	7		
Masulipatam	91	72	41.1	3	1	3	..	32	18.3	7		
Nandyal	38	17	23.3	2	1	9	12.3	1		
Nellore	98	88	46.7	6	..	2	..	34	18.0	12		
Produtur †															
Rajahmundry	126	71	29.3	5	18	7.4	..		
Tenali	70	54	40.1	1	2	..	2	1	1	..	23	17.1	6		
Vijayavada	210	135	33.4	2	2	3	6	2	54	13.4	10		
Visakhapatnam	133	74	29.0	..	7	..	5	8	7	..	43	16.8	13		
Vizianagaram †															
Hyderabad	1,102	235	11.1	..	1	..	27	6	40	..	200	9.4	7		
Warrangal †															
Nizamabad †															
Kothagudiam †															
Secunderabad	188	106	29.3	1	4	6	1	37	10.2	9		
TOTAL	2,809	1,382	25.6	9	10	..	64	51	89	5	695	12.9	110		
Bihar															
w/e 21-12-1957															
Arrah	72	8	5.8	1	1	..	4	2.9	..		
Bettiah	39	6	8.0	1	..	1	..	4	5.3	..		
Bhagalpur	130	26	10.4	6	20	8.0	..		
Bihar †															
Chapra	71	42	30.8	1	1	0.7	1		
Darbhanga	95	17	9.3	1	..	2	..	8	4.4	1		
Dhanbad	42	10	12.4	3	3.7	..		
Dinapur	45	7	8.1	2	..	1	..	3	3.5	..		
Goya	153	50	17.0	11	4	10	..	37	12.6	..		
Hazaribagh	40	20	26.7	6	8.0	..		
Jamalpur	48	3	3.3	1	3	3.3	..		
Jamshedpur	253	150	30.8	..	1	..	1	..	2	..	20	4.1	..		
Katihar	53	1	1	1.0	..		
Monghyr	82	9	5.7	2	..	1	..	4	2.5	..		
Muzaffarpur †															
Patna	341	176	26.8	17	3	2	..	80	12.2	..		
Ranchi	134	34	13.2	9	23	8.9	5		
TOTAL	1,598	558	18.2	..	1	..	52	19	20	..	217	7.1	7		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information

REMARKS

The figures of births and deaths shown in this statement for week ending the 28th December, 1957, relate to 117 towns with an estimated population of 16,223 thousands. Information about Andhra Pradesh, Assam, Bihar, Bombay, Kerala, Madhya Pradesh, Pondichery and West Bengal could not be included. The total number of towns is 319 and their population is 42,930 thousands. Thus 37% of the total number of towns representing 38% of the total population is covered

in this statement. The number of births and deaths recorded in these towns were 10,433 and 4,758 representing birth and death rates of 33·4 and 15·3 per thousand of population respectively.

Behrampur in Orissa was the only town which recorded a high death rate of 75·6 per thousand of population. In Behrampur high death rate was mainly due to fever. The following table gives the position by States:—

States	Current w/c 28-12-1957		Corresponding w/c last year	
	B.R.	D.R.	B.R.	D.R.
Delhi . . .	39·9	12·7	37·6	12·3
Madras . . .	37·6	19·8	41·1	19·9
Mysore . . .	26·9	14·0	30·5	16·0
Orissa . . .	62·6	41·8	71·3	30·7
Punjab . . .	26·3	9·2	35·4	9·4
Rajasthan . . .	11·9	8·4	14·5	9·8
Uttar Pradesh . . .	33·9	13·5	32·3	14·1
India . . .	33·4	15·3	32·9	14·9

NEW DELHI-2 (INDIA) ;

The 20th January, 1958.

H. R. SHARMA,
for Registrar General, India.

